

## CLAIM AMENDMENTS

1. (Currently Amended) An organic light emitting display comprising:  
a plurality of modules, each including a front plate and a back plate;  
an organic light emitting material formed on one side of said front plate,  
said organic light emitting material to pass light outwardly through said front plate;  
said back plate secured over said one side of said front plate; and  
a filler material including a desiccant mixed into said filler material to seal  
the region between said front and back plates and the a region between adjacent modules.

Claim 2 (Canceled).

3. (Original) The display of claim 1 wherein said desiccant is a silica.
4. (Original) The display of claim 1 wherein said desiccant is zeolite.
5. (Original) The display of claim 1 wherein said filler material includes epoxy.

Claims 6-10 (Canceled).

11. (Previously Presented) A method comprising:  
forming a front plate having an organic light emitting material deposited  
thereon;  
covering said organic light emitting material with a back plate;  
combining a plurality of light emitting device modules to form an array;  
and

filling the regions between the front and back plates and adjacent modules with a filler material including a desiccant mixed into said filler material, said filler material including desiccant to surround each module.

12. (Original) The method of claim 11 including mixing a filler material into an epoxy.

Claim 13 (Canceled).

14. (Original) The method of claim 11 including mixing zeolite into epoxy to form said filler material.

15. (Original) The method of claim 11 including mixing silica into epoxy to form said filler material.

16. (Previously Presented) The method of claim 11 wherein covering said organic light emitting material with a back plate includes surface mounting said front plate to said back plate.

17. (Previously Presented) The method of claim 11 wherein forming a front plate includes forming a transparent front plate to pass light emitted from said organic light emitting material outwardly through said front plate.

18. (Previously Presented) The method of claim 11 including securing said array of modules to a carrier with a filler material including a desiccant mixed into the filler material.

19. (Previously Presented) The method of claim 18 including forming a lip of said filler material including desiccant that extends beyond the periphery of said array of modules and said carrier.

Claims 20-21 (Canceled).

22. (Previously Presented) The display of claim 1 including surface mounting said front plate to said back plate using solder balls.

23. (Previously Presented) The display of claim 1 wherein said plurality of modules forms an array.

24. (Previously Presented) The display of claim 23 including a carrier, said array adhesively secured to said carrier with a filler material including a desiccant mixed into the filler material.

25. (Previously Presented) The display of claim 24 wherein said filler material including desiccant that is between said array and said carrier forms an extension beyond the periphery of the carrier.

Claim 26 (Canceled).

27. (Currently Amended) An organic light emitting display comprising:  
a plurality of modules, each module including a front plate and back plate parallel to the front plate;  
an organic light emitting material formed on one side of the front plate, ~~the material to extend to the end of the module;~~ and

a filler material including a desiccant mixed into the filler material to secure the back plate over the one side of the front plate, and to seal the region between the front and back plates and the region between adjacent modules.

28. (Previously Presented) The display of claim 27 including a carrier secured to said plurality of modules by the filler material.

29. (Previously Presented) The display of claim 28 including an extension of filler material around the display.

30. (New) The display of claim 27 wherein the modules on the periphery of said display extend to the end of said display.